Principles of the Brain's communication network and possible applications

Jont B Allen UIUC Urbana IL, USA

October 5, 2022

Abstract

The goal of this presentation is multi-fold:

- Summarize some basic facts about brain science
- The first measurement neural spike propagation by Helmholtz (Frog)
- Hodkins and Huxley explain spike propagation (1950 Nobel Prize)
- Review HH-50's discovery
- Explain how this can be implemented in electronics
- Applications of spike communication on silicon
- Densities approach or even surpass those of the brain

Overview of Human brain

```
► ANATOMY , ► CORTEX , ► FACTS Use CTRL± TO ZOOM IN/OUT
```

Neurons:

- Properties of NEURONS
- The NATOMY of the neuron has
 - an input DENDRITE
 - an output SYNAPSE, and a
 - cell body.
- The brain's communication network is based on ACTION POTENTIALS (spikes)
- Each neuron is typically part of a large NETWORKS OF NEURONS.
- The brain contains an estimated 10¹¹ (100 billion) NEURONS.

Helmholtz first measures spike propagation





Figure: Helmholtz' system for measuring neural spike speed in 1830




Figure 1.1. An early oscillogram of the change in membrane conductance (band) and membrane voltage (line) with time during the passage of a nerve impulse on a squid axon. (Time increases to the right, and the marks along the lower edge indicate intervals of 1 ms.) (Courtesy of K.S. Cole.)

Figure: First oscillogram of a neural spike.


HH-50 voltage-clamp experiment on Squid nerve



HH-50 neural-clamp Results



3 Diode model of a neural spike



Conclusions

- Summary of the properties of NEURONS
- Gated channels: Na⁺ Brugada Syndrome
 - → K⁺
 - CI[−]
- Neurotransmitter signaling: TYPES

Bibliography

Copies of my documents

https://jontalle.web.engr.illinois.edu/Public