

Index

- Acetylcholine, 180, 184, 452n
- Acetylcholine receptor, molecular structure, 139
- Action potential, mechanism, 147–150
- Active zone. *See* Synapse, active zone
- Adapt, match, learn, and forget*, 48–49, 173, 234, 263, 399, 434, 440, 446
- Adapt, match, trade, 48–50. *See also* Symmorphosis
- Adapt and match
- array to input S/N, 136–137, 248, 306–309
 - bandwidth to input 213, 218–222, 224, 228–230, 299, 330
 - capacities across systems, 13, 48–49 (*see also* Symmorphosis)
 - capacity to natural distribution of information, 434–435
 - circuits to stable statistics, 405
 - coding to natural statistics, 251–252, 258–263, 290, 301–313, 327, 337–342, 351–357
 - dendritic arbors to image statistics, 307
 - electrical coupling to input statistics, 280–284, 287–288, 310
 - energy capacity to information rate, 336
 - gain to light level, 220–221
 - information capacity to supply, 228–230, 248
 - I/O function to input, 49, 129, 130, 145, 221, 260, 270, 289, 299
 - locomotion to terrain and viscosity, 23
 - memory to lifespan and lifestyle, 16, 21, 38–39
 - parallel channels to distribution of information, 306–309, 354
 - potassium channels to visual ecology, 230–233
 - predictive coding to input statistics, 251–252
 - receptive field to image statistics, 251–252, 306–309, 337–344
 - resources to information, 135–137, 291–295
 - response waveform to input statistics, 219, 260–263
 - sensor to signal quality, 195–234, 274
 - structures and molecular mechanisms, 195–234, 291–295
 - synapse to input, 186–190, 210, 241–263, 268–276, 287–295, 327–332
- Adaptation relates to learning, 421–422
- to changing demand, 3
- Addiction, cause of, 429
- Addition (arithmetical operation), 128, 145, 172
- Adenosine triphosphate (ATP). *See also* Mitochondria
- constrains information processing, 152–153, 157

- Adenosine triphosphate (ATP) (cont.)
 drives signaling in protein circuits,
 122–123, 138
 inactivates receptor proteins, 121
 production of, 58
 standard unit of cellular energy, 52,
 54
- Adrenal gland, 64, 67
- Adrenaline (epinephrine), 91, 116–122,
 125, 129
- Affinity. *See* Binding affinity
- All amacrine. *See* Retinal amacrine cells
- Aldosterone, 66–67
- Allostasis, 447n2
- Allottery, 115, 126, 213, 450n4
 information processing and
 computation, 117–118
 synaptic vesicle release, 160, 163
- Amacrine cell. *See* Retinal amacrine cells
- AMPA receptor. *See* Glutamate receptor
- Amplification, optimization, 258–260
 push-pull, 308–309, 341–342
- Amplifier, xvii, 35, 107, 120, 126, 130,
 268. *See also* G-protein-coupled
 receptor
 ion channel, 141
 protein circuit for phototransduction,
 126, 195–204, 210–12, 217, 233
- Amygdala 86, 357
- Anabolism, 58–59. *See also* Catabolism
- Analogue computation. *See*
 Computation, analogue;
 Computation, direct; *Compute
 directly with analogue primitives*
- Analogue circuit elements, 146–147
- Analogue primitives, 131, 221, 440
 used for coding, 234, 260, 263, 281–
 287, 301, 322
- Analogue to pulsatile, 37–38, 96, 174–
 175, 265–276, 300, 333
- AND gate, 117–118, 218
- Anticipatory regulation, xiv–xvi, 47,
 67, 447n2
- Anxiety, xvi
- Arithmetical operators, 125, 127–131,
 145–146, 172, 451
- Array. *See also* Sensor array; Neuronal
 array; Synaptic array
 maximize information within, 303–
 311, 434–437
 optimization, 135–137, 247–248, 280–
 298, 303–311, 316–319, 433–439
- Arrays, interconnecting efficiently,
 367–387
- Arrestin, 121, 202, 216
- Assembling patterns, 45, 359, 361, 416
- Associative learning, 32, 95, 100, 102,
 450n2
 mammal, 410–430
- Astrocyte. *See* Glial cells
- A to P. *See* Analogue to pulsatile
- Auditory cortical areas, similarities to
 visual, 359–360
- Auditory patterns, 74
- Auditory sensors, 92, 92, 268–274. *See
 also* Hair cell
- Autonomic system, 45, 89
 low information rates, 68
 sympathetic and parasympathetic
 subsystems, 68
- Avoidance response, *Paramecium* 18–20
- Awakening, 63–64
- Axon
 analogue to pulsatile, 174–175,
 425n12
 channel noise limit to diameter, 185
 initial segment, 174–175, 178–179
 local computing, 178–179
 as matched filter, 255–258
 matched to active zones, 291, 294
- Axonal transport, mechanism and cost
 175
- Axon diameter, and rates xvii, 54,
 75–76, 87, 186, 266–268, 273,
 320–322
 minimum, 185

- Axon diameter distribution, in nerves
 and tracts, 63, 75, 99, 267, 320–322,
 384–386, 416
 log-normal 63, 384, 386, 419
- B 29 (Boeing), 1. *See also* Reverse
 engineering
- Bandwidth
 at chemical synapse, 161, 188, 234,
 268, 291, 293–295
 determines information rate and
 capacity, 113–114, 220, 225–227, 241
 limited by dendrite, 170
 match to input, 213, 218–220, 224,
 228–230, 299, 330
 and membrane time constant, 146,
 151, 166, 170, 227
 photoreceptor, 213, 224, 218–220,
 224, 228–230
 and receptor binding affinity, 128–
 129, 137, 160–161, 165–168, 270–
 271, 286, 330
 regulated by potassium channels,
 230–234
 segmented by synapse, 164–168,
 291–296
 segmented in parallel neurons, 310,
 322, 353
 sets receptive field size, 310
 spatial, 338–339, 353
 and spike rate, 312
 trade for energy, S/N and gain, 135,
 137, 146, 161, 202, 209, 260–263
- Basal ganglia, 98
- Basket cell (cerebellum), 177–179, 184,
 186, 189, 190, 373
- Bat, 73–74, 92
- Battery (ionic), 140–144, 150, 152, 164
 cost of recharging, 141–142, 153, 222,
 145, 393
- Behavior, 41–50
 aversive response, 27–28
 choice, 43–44
 foraging, 21
 motor, 44
 random, 20–21
 selection of, 28–31, 44
- Behavioral threshold for discrimination,
 323
- Benzodiazepine. *See* Tranquilizers
- Bergman glia, 156, 190
- β 2 adrenergic receptor, 117–123
- Biased random walk (search strategy),
 15–16, 29
- Binding affinity
 and bandwidth/timescale, 128–129,
 137, 160–161, 165–168, 270–271,
 286, 330
 and dissociation constant, K_D ,
 127–129
 matched to input signal, 12, 67,
 155
 matched within a circuit, 160–161,
 167–168, 204, 213, 270–271, 290–
 291, 438
- Bit, unit of information defined, 51
- Bit rate. *See* Information rate
- Bits per spike, 52–53, 84, 174, 300, 309,
 327–334, 340, 353, 451n2
- Blindsight, 458n4
- Blood pressure, 45–47, 66–67
- Boltzmann, L.
 entropy, 110
 constant (K_D) 122
- Boolean operation. *See* AND gate
- Brain
 broad aspects of design, 41–43
 can ours do better? 441
 constraints on, 50–55, 89
 core tasks, 43–45, 89, 104
 emergence of, 20–21
 insect, 89–104
 mammal, 57–89
 organizational principles, 57–104
 purpose, 11
 will ours survive? 444

- Brain size, 22, 392
C. elegans, 33, 35
 comparison of fly, mouse, monkey,
 human, 41
 honeybee, 102
 mormyrid fish, 77
- Brecht, Bertold, 459n18
- Brownian motion, 17, 133, 155
- Brownian noise, 92, 133, 137, 198.
See also Noise sources, thermal
- Caenorhabditis elegans* (*C. elegans*), xiii,
 13, 21–39, 400
- Cable theory, 170–171, 255, 365, 422
- Cajal, S. R. *See* Ramón y Cajal, S. R.
- Cajal's laws of conservation, 363, 393
- Calcium channel, and memristor,
 147
 links electrical signals to chemical,
 150–151
- Calcium channels
 control simple behavior, 18–20
 and synaptic vesicle release, 160–162,
 270–272, 281–290, 299
- Calcium ions
 as chemical messenger, 150
 control gain and bandwidth, 202,
 209, 216–218, 220–222, 270–272,
 281–293
 couple chemical and electrical circuits,
 150–151, 160–162
 driving force on, 162
 pumps (*see* Calcium pumps and
 exchangers)
 and synaptic plasticity and memory,
 167, 404, 412–413, 417–418
 trigger synaptic vesicle release, 150,
 160–162
- Calcium pumps and exchangers, 20,
 192, 202, 212, 217, 221
- CaM kinase II, 412
- cAMP. *See* Cyclic adenosine
 monophosphate
- Capacitance. *See* Membrane
 capacitance; Analogue circuit
 elements
- Capillary network, 157–158, 325, 386,
 393
- Capgras syndrome, 358
- Catabolic/anabolic cycle, 58–59, 64, 91
- Catabolism, 58–59. *See also* Anabolism
- Central complex, 96–97
- Central pattern generators. *See* Pattern
 generators, central
- Cerebellar cortex, 370
 design requirements, 371
- Cerebellum
 axon diameters vs. firing rates, 75
 basic circuit's cell types (*see* Granule
 cell; Purkinje cell; Basket cell; Golgi
 cell; Bergman glia)
 climbing fiber, 156, 165, 184, 190,
 348, 373, 394
 deep neuron clusters, 88, 391
 design of basic circuit, 185–190, 371
 design requirements, 371
 energy costs, 190–194, 394–395
 inferior olive, 348
 of mormyrid, fish 74
 mossy fiber, 156, 165, 184, 186–188,
 190–193, 330, 348, 372–373, 384,
 394–395, 460n9
 parallel fiber (*see* Granule cell)
 pontine cluster, 348
 sections through, 42, 88, 346, 347,
 383, 38
 synaptic architecture, 186–190
- Cerebral cortex
 adaptive responses, 400
 circuits repeat, 353
 comparison to retina and cerebellar
 cortex, 364–365
 distribution of blood vessels, 158
 energy costs vs. cerebellum, 395
 energy usage, 153–154, 336–337, 342,
 352

- executive summary, 63
- functional architecture, 384–389
- interfaces (input/output tracts), 384
- maximizes potential connections, 442
- number of neurons, 41
- pyramidal neuron, xix, 153 174, 175, 381, 384, 386–389, 460n7, 469n16, 460n20
- sections through, 42, 88, 346, 347, 383, 385
- similarity to mushroom body, 102
- sparse codes used, 341–343, 353, 359, 411
- wiring maximizes connectivity repertoire, 381
- Cerebral cortical areas
 - auditory, 353, 359–360, 392–393, 408–410, 423
 - efficient placement for interconnection, 86
 - face identification, 85–86, 357, 358
 - human, 350
 - language, 359–360, 407, 409–410
 - middle temporal (MT), 361
 - monkey, 423
 - number of, human vs. mouse, 85
 - for object grasp, 85
 - for object identification, 356, 359
 - for scenes, 356
 - in star-nosed mole, 80
 - visual (*see* V1; V2)
 - why separate areas, 390–392
 - written word recognition, 406–410, 418–419, 431
- cGMP. *See* Cyclic guanosine monophosphate
- cGMP-gated channel, 212, 213, 217, 224
- Chemical circuit, design basics
 - 125–137
 - constraints on, 137
- Chemotaxis, 15, 21
- Chess, xi, xvi
- Chloride channel, 140, 169
 - histamine-gated, 140, 146, 241, 246, 254, 260, 454n9
 - roles in inhibition, 169, 179, 461n9
- Chloride ions, 140, 169, 179
 - driving force, 162
- Chloride pumps, KCC2, NKCC1, 179
- Choice
 - of action, 96–98
 - rules governing, 419–422
- Choosing or selecting components and materials, 4–6, 8, 210, 232, 234. *See also* Parts, catalogue or list
- Chromophore, 195
 - regeneration of 214, 224
- Circadian rhythm, xv1, 59, 448n1. *See also* Clock
- Circumventricular organ, 65, 448, 448n1
- Clock (circadian), 59–64, 69, 91, 98, 323, 449n4
 - coupling to behavior, 61–64
 - entrainment by light, 59, 197, 323
 - location, 59–60, 69, 91
 - regulates neural mechanisms, 233, 287, 334
- Cluster, use of term 448n2
- Cochlea, 76, 78, 92, 271, 273
- Cochlear (auditory) nerve, 74–75
- Coincidence detection, 102, 167–168, 172, 189, 218
- Collecting sensory patterns, 91
- Color perception
 - loss of (achromatopsia), 358
 - shift in, 405
- Color vision, specializations for, 284, 316, 319, 325, 336, 351, 356, 458
- Combine analogue and pulsatile processing*, 206, 437. *See also* Analogue to pulsatile

- Command neuron, 27–28, 30, 33
- Compartment size and performance
 in practice, 170, 172, 201, 214, 216–218, 220, 234, 435
 in principle, 113, 133–134, 137
- Complicate*, xiii, 7, 21, 401, 414, 438
- Complex. *See* Signaling complex
- Complex cell, 367, 369, 374, 481.
See also V1
- Component placement. *See also* Wiring efficiency
 motor neurons, 70–71
 optimization, 36, 239
 silicon and worm, 36
 striatum, 377
- Computation. *See also* Information processing
 analogue, 26, 37, 95, 130–134, 142–147, 221, 281–282, 287, 301, 437, 445
 chemical, 12–21, 32–35, 127–133
 dendritic, 170–174, 176–177
 design principles summarized, 434–437
 direct, 131, 140, 281–288, 301–302, 339
 efficiency of, xi, xvii, 93, 131–133, 153, 396
 electrical, 18–20, 145–147, 255
 embodied, 26, 103
 load reduction, 26, 103, 131
 local, 62, 83, 176–177, 179–180, 392, 445
 at nanometer scale, 126
 by protein circuit, 125–154
 reversible, 122
 by single molecule, 117–125
 Turing Universal, 131
- Compute
 as much as possible in a single cell, 33–35
 at the lowest level, 319
 locally, 83
Compute directly with analogue primitives, 221, 234, 260, 263, 281–282, 301, 322, 437, 440
 Computer vs. brain, xi–xii, xvi–xvii, xx, 9, 26, 287, 433
Compute with chemistry, 34–35, 124, 154, 212, 234, 322, 435
 Concentrate resources, 437–438
 Concentration gradient (ionic), 139–141, 143
- Cone opsin
 spectral tuning, 274
 stability and speed, 207
 thermal rate, 208
- Cone photoreceptor, 207–210, 213
 energy cost, 224, 394
 information rate versus fly, 235
 photon catch, 279
 single-photon response cf. rod, 209
- Cone synaptic terminal, 274–298.
See also Synaptic ribbon
 electrical coupling to cones, 281–288
 electrical coupling to rods, 207
 match to information capacity, 295
 number of active zones, 207, 291
 reducing noise, 280–284
 reducing redundancy, 284–289
 S/N 207, 209, 279
 vesicle rate, 279–280
- Connectivity repertoire, 379
- Connectome, 37, 239, 242 455n10.
See also Wiring diagram
- Connexon, 177. *See also* Gap junction
- Constraints, xvii
- Contrast, definition, 219
- Contrast coding, 219–222, 234, 236, 241–244, 276, 284–291, 296–299
 optimization, 258–260, 306–310
- Contrast gain control, 300, 343
- Cooperative binding, 129, 146
 and calcium sensor and vesicle release, 270
 and channel open probability, 140

- and cone synapse, 290
- effects on I/O functions, 129–131
- implements *exp*, 146
- matches I/O function to input, 129, 130, 260, 270, 299
- matches synaptic transfer to function, 238, 260, 292
- and optimization of I/O function, 260
- and optimization of rod response, 201–204
- sharpens timing, 161, 201–204, 271–272, 299
- and switch design, 130
- Corollary discharge, 82–83, 100–101
- Corpus callosum, 88, 386, 392, 443, 459n.15
- Corticocollicular pathway, 81, 348
- Corticospinal tract, 69–73, 81, 386, 443
- Cost
 - fixed, 135–136, 152, 197, 223, 225–228, 342
 - signaling, 135–136, 197, 212, 225–228, 342
- Costs. *See also* Energy costs
 - different senses, 71–76
 - learning, 410
 - opportunity, 44
 - speed over distance, 142, 435–437
- Cricket (chirping), 100
- Cyclic adenosine monophosphate (cAMP), 14
- Cyclic guanosine monophosphate (cGMP). *See also* cGMP-gated channel
 - concentration optimizes phototransduction, 202–203, 209
 - in cone, 209
 - in rod, 196–204
- Cytochrome oxidase, 194, 325, 336, 351, 395
 - patches, 326, 336, 337, 344, 351, 390, 391
 - stripes, 326, 351, 352, 356, 390, 391, 405, 446
- Cytoskeleton 115, 133, 215–216 (*see also* Scaffold)
- DAG. *See* Diacylglycerol
- Darwin, Charles, xii, xx, 319, 447n1, 447n3
- Data Mountain, xii, xxi, 265, 278
- Decision
 - central complex, 96
 - design of 57, 76
 - integrated, 423
 - low-level, 71
 - perceptual and noise, 323
 - tree, 109
 - what to store, 419
 - where to look, 81–82
- Deep Blue (IBM Supercomputer), xi, xvii, xx
- Dendrite
 - cable properties constrain range, 170–171
 - as memory module, 414
 - processes information directly, 170–174
- Dendritic arborization adapted for role, xix, 71–73, 185–190, 284–287, 301–318, 346–349, 367–389, 425–427, 463n17
- Dendritic spike, 172–173, 414
- Dendritic spines
 - compartments for computation, 172–173, 452n11
 - increase potential connectivity, 383–384, 387
 - increase wiring efficiency, 366, 375–376
 - involvement in learning and memory, 410–419
- Design, xxi
 - and competition, 3
 - and cost, 3

- Designer, xx—xxi
- Design rule
- build a neuron for a specific task, 180
 - compute as much as possible in a single cell, 33, 319
 - compute at the cheapest level, 434
 - compute at the lowest level, 319
 - compute locally, 83
 - conserve synapses, 35
 - favor analogue over pulsatile, 37
 - match sensor to signal quality, 274
 - maximize information sent by the array, 303
 - motorize sensors 29, 79–82, 92
 - neaten up, 6–7, 103, 224, 309–311
 - neurons that fire together locate together, 70
 - neurons that fire together wire together, 70, 326
 - no part is left idle, 263
 - optimize the interfaces, 235–264, 386
 - reduce noise before it becomes distorted by nonlinear processing, 283
 - send information as slowly as possible, 36
 - three fifths rule (wiring efficiency), 367
 - trade between systems, 48
 - use neuromodulators to switch behaviors, 35
- Design specifications, 2
- integrating across systems, 8
- Diacylglycerol (DAG), 215–216
- Diffusion
- impact on chemical circuits, 106, 127, 133, 137–138, 435
 - impact on protein circuit, 200, 204, 210, 216–218
 - impact on retinal function, 200, 204, 210, 286, 291–298, 313, 321
 - impact on synaptic function, 159–175, 183, 188, 286, 291–298, 425
- Diffusional filtering, 291–296
- Diminishing returns. *See* Law of diminishing returns
- Disconnection syndromes, 358–360
- Disinhibition, 98, 202, 308–309, 341, 459n.9. *See also* Inhibition
- Dissociation constant, K_D , 127–129. *See also* Binding affinity
- Division (arithmetical operation), 125, 131–132, 146, 172
- Divisive normalization, 146, 343–344. *See also* Contrast coding; Weber-Fechner law
- Dopamine, 30, 32, 35, 69, 287, 452n5
- learning, 87, 100, 418–419
 - memory, 413–416
 - neuron, 69, 287, 424, 426–428, 463n17
 - teaching signal, 422–428, 462n13
 - transporter, 429
- Dorsal stream, “where,” 356, 358–359, 361
- Driving force (on ions), 138, 162–164, 309, 451n6. *See also* Reversal potential
- Drosophila melanogaster* (fruit fly). xiv, xvii, 89–104, 213–234
- DUM neurons, 91
- Ecclesiastes, 22
- Economics
- cortical theme for neural investment, 354
 - high rate cf. low rate channels/pathways, 333
 - investment in axons in a tract, 397
 - phototransduction, 210–213, 222–234
 - synaptic investment, 332–334
 - of visual information, 296
- Economic theory, neoclassical, 420
- applied to choice, 420
 - applied to teaching signal 422
- Effector clusters, arrangement 68–71

- Efference copy. *See* Corollary discharge
- Efficiency. *See also* Energy efficiency;
 Information, cost and efficiency;
 Wiring efficiency
 and brain design, xx
 and small size, 102–104
 and spike rate, 52–54
- Electrical circuits
 design basics, 138–154
 constraints on, 151–153
 speed over distance, 18–20, 147–151,
 155, 194
- Electrical synapse, 177, 179, 207,
 309–310, 452n3. *See also* Gap
 junction
- Electric sense, 74–77
- Electronic circuits cf. protein circuits,
 126, 130
- Electroreceptors, 74
- Embodied computation, 26, 103
- Endocrine glands. *See also* Pituitary
 adrenal, 64
 corpora allata, 89
 corpora cardiaca, 89
 pancreas, xiv
- Endocrine signals, 60, 64, 68. *See also*
 Wireless signaling
- Endocytosis, 413, 425n8. *See also*
 Synaptic vesicle, recycling
- Endogenous opiate, endocannabinoid,
 endobenzodiazepine (diazepam
 binding inhibitor), 169–170
- Energy capacity, matches information
 rate, 336
- Energy cost. *See also* Energy efficiency
 of axon, 54, 74–75, 63, 74, 182
 chemical cf. electrical, 150, 162–164,
 210–213
 of human brain, 8
 and information rate, 53–54
 of inhibition, 169, 191–193
 of ion channel, 141–142
 of neural circuits, 190–194, 393–395
 of neuron, by function and
 computational stage, 190–194,
 393–396
 of phototransduction, 210–213,
 223–231
 of signaling protein, 122–123
 of synapse, 160–164, 168, 175,
 191–194, 212, 245–246, 394–395
 thermodynamic lower bound to,
 122–124
 of tracts, 396
- Energy costs
 of cerebellum, 190–194
 of cortex, 393–396
- Energy density, constrains neural
 processing, 153–154
 enforces sparse coding, 342
- Energy efficiency
 cost per bit 54, 223, 245
 dependence on rate 54, 223
 and inhibition, 169, 388–389
 need for, xx, 157
 related to component size, 54, 117,
 223
- Energy-efficient electronics employs
 neural principles, 440
- Energy landscape, 115–116, 160–162
- Energy production, 58. *See also*
 Cytochrome oxidase;
 Mitochondria
- Energy supply to neurons, brain
 controls, 157–158, 184, 277, 325,
 386, 393
- Energy supply to organs, brain controls,
 44–45, 48, 58–64, 89–91
- Engineering principles, xiii, 440
- Entropy
 Boltzmann's (thermodynamics)
 110, 114
 Shannon's (information theory), 53,
 109–111, 258
- EPSC. *See* Excitatory postsynaptic
 current

- EPSP. *See* Excitatory postsynaptic potential
- Error, reward-prediction, 100
- Error correction, 86–88, 100
 and evaluating behavior, 86–87
 and intention learning, 87
 and reward-prediction learning, 87
 role of dopamine, 87
- Escherichia coli*, xiii, 12–17
- Excitatory postsynaptic current (EPSC)
 cost, 163, 191
 in dendritic spines, 414–415
 in ganglion cells, 312
 in granule cell, 188
 summation for quasi-secure synapse, 328–329, 331
- Excitatory postsynaptic potential (EPSP)
 cost, 437
 integration of, 172
 passive transmission by dendrite, 171
 regulation by network, 173
 spine amplitude in, 452n11
- Exocytosis. *See* Synaptic vesicle release, mechanism
- Exponentiation (mathematical operation), 146
- Extracellular potential, varied to compute, 178–179, 254–255, 286
- Eye movements, fixation and efficiency, 79, 81
- Face areas. *See* Cerebral cortical areas, face identification
- Faces, identification and recognition, 85–86, 354–362
- Feedback 24. *See also* Negative feedback; Positive feedback
 “Fight or flight,” 46, 91
- Filter, 125, 151. *See also* Matched filter;
 Diffusional filtering
 Gabor, 337–342, 344–347, 353–354, 361
 Gaussian, 287, 302–303
 mechanical, 268
 spatial, 287, 302, 322, 337–342
 temporal (*see* Bandwidth)
- Filtering by single protein molecules, 126, 129, 166, 292–296
- Filters
 cortical processing for, 337–361
 mechanosensors in, 74, 83, 268–269, 455n3
 photoreceptors in, 204, 207, 217, 231
 retinal processing for, 274–276, 279, 280–281, 283, 285, 287, 302–303, 307, 314–317
- Finite state machine, 117–121, 124, 133, 147, 435, 450n5
- Fixed cost. *See* Cost, fixed
- Fly photoreceptor, 214–234
 constraints on design, 213–214
 cost of energy, 224–225
 cost of space, 222–224
 design requirements, 214
 economics, 222–231
 gain control, 220–222, 225, 227, 230–231
 information capacity and efficiency, 227–230
 information rate and efficiency, 225–227
 mechanical signal processing, 216–218
 noise in phototransduction circuit, phototransduction circuit in microvillus, 216–219
 potassium channels increase efficiency, 230–232
 synapses, 235–264
- Ford, Henry, 4
- Ford, model T, 3, 6
- Fornix, 62–63, 69, 88, 443
- Fovea, 79–81
 vs. camera on Mars rover, 456n1
 like fly lovespot, 92
 served by midget ganglion cells, 236, 283

- Freud, Sigmund, 399, 428–429
 Frontal eye field, 82, 449n16
 Fruitfly. *See Drosophila melanogaster*
- GABA receptors, 159–160, 169, 300
 Ganglion cell. *See* Retinal ganglion cells
 Gap junction, 177, 281–285, 308–310. 427, 456n7, 458n17. *See also*
 Electrical synapse
 Generalization, 220, 345
 Genesis, 58, 306
 Genome, 5, 17, 33, 117, 125, 151, 451.
See also Parts, catalogue or list
 Gestalt (grouping principle), 352, 354
 Glegg, Gordon L., 447n1
 Glia. *See* Glial cells; Synapse, glomerular
 Glial cells
 astrocytes, 183–184
 Bergman, 156, 190
 and electrical inhibition, 178–179
 epithelial, 239, 242, 257
 mitochondria in, 181
 oligodendrocytes, 181
 and predictive coding, 254–255
 role in neural design, 181–184, 190
 synapses onto, 239, 242, 255
 volume and number cf. neurons, 181
 Gliotransmitters, 184
 Glomerular synapse. *See* Synapse,
 glomerular
 Glomeruli, olfactory and optic, 90,
 93–95
 Glutamate receptors. *See also* NMDA
 receptor
 AMPA, 164–168, 172, 179, 286, 295,
 330
 distribution in circuit, 270
 family of, 165, 168
 and memory, 412
 mGluR, 168
 segregate parallel channels, 291–298
 temporal filtering by, 164–168, 293
 tuned for function, 286
 Glutamate transporters, 166, 168, 281,
 330
 Golgi cell, 156, 184, 186, 188, 190
 GPCR. *See* G-protein-coupled receptor
 G protein, 117–123, 126, 141–142.
See also G-protein-coupled receptor
 trades gain for rate/bandwidth, 202,
 209
 G-protein-coupled receptor (GPCR),
 117–123. *See also* G protein; Opsin;
 Metabotropic receptor
 amplification by, 120
 energy efficiency, 122–123, 141–142.
 Grandmother cell, 357
 Granule cell (of cerebellum), 184, 371,
 374–375
 design for efficient wiring, 374–375
 parallel fiber, 165, 177, 184–185, 189,
 190, 192, 373–376, 384, 460n6,
 460n9, 461n11
 synapse to Purkinje cell, 189–190
 Gray matter, 154, 158, 182–183, 396,
 400, 436, 443
 Grouping statistics, 352
 GTP. *See* Guanosine triphosphate
 Guanosine triphosphate (GTP), 119–
 122, 126, 202
- Hair cell, 268–274
 specialized synapse, 268–274
 Haldane, J. B. S., 104
 Happiness and unhappiness, 399
 Hartline, H. K., 454n6
 Hebb, D. O., 418
 Hebbian synapse and learning, 411,
 417–418
 Hemispheric specialization, 392
 Heuristics, 103–104
 Hillel, Rabbi, xvii
 Hippocampus, 42–43, 62–63, 86, 88,
 357, 400–401, 419, 423
 Homeostasis, xiv, 45, 477n2. *See also*
 Synaptic homeostasis

- Homo sapiens*, xiv
- Homunculus, 79
- Honeybee, 43, 92, 102–103, 399, 404, 427
- Horizontal cell. *See* Retinal horizontal cells
- Hormones, 60, 64–69, 89, 448n1, 450n1. *See also* Wireless signaling
- Hyperbolic I/O function
 computation by, 127–130, 145–146
 and contrast coding, 219–220
 and Weber-Fechner law, 128
- Hypothalamus. *See also* Pattern generators
 accessing information, 62
 anticipating needs, 61
 behavioral sequencing, 61
 calling brain hormones, 65
 commanding low-level pattern generators, 61–63
 coupling clock to behavior, 61–63
 evolutionary origin, 89
 and high-level pattern generators, 60–63
 hypothalamic circuits, 60–64
 location, 43, 60, 69, 88
 and motivation, 61
 proximity to effector clusters, 68
 retinal input to, 324
 role in behavioral repetition, 418, 425
 volume, 70, 449n9
- Image processing in V1, 335–353
- INAD, scaffolding protein (fly photoreceptor), 216
- Inductance. *See* Analogue circuit elements
- Inferior colliculus, 69, 74, 363, 449n15
- Inferior olive, 348
- Information, 51
 concentration of, 169, 192, 300, 303, 304–306, 331, 334, 357
 cost and efficiency, 52–54, 122–124, 135–136, 174, 222–224, 245, 320
 and laws governing brain design, 50
- Information capacity
 analogue signal cf. pulsatile signal, 51–53, 110–112, 174
 constraints on, 51–54, 110–113, 152–153, 174, 223, 227–228
 matched to supply, 228–230, 248
 measured values, 225, 245
 percentage filled, 266
 storage, 15, 85–86, 410–412
 theory, 51–53, 107–114
- Information processing
 by allostery, 117–122
 by chemical circuit, 105, 117–138
 by electrical circuit, 138–154
 by protein molecule, 105, 114–124
- Information rate
 and axon diameter, 53–54, 321–322
 measured values, 53, 223, 245, 296, 299, 320, 328
- Inhibition
 cross-, 28, 70, 71 (*see also* Inhibition, reciprocal)
 crossover, 309, 313
 electrical, 178–179
 energy cost, 191–193
 feedforward sharpens timing precision, 331
 reciprocal, 26, 70, 73
- Inhibitory neurons
 contributions to coding efficiency 388–389
 contributions to cortical circuits, 387–389
- Initial segment. *See* Axon, initial segment
- Inositol triphosphate (IP₃), 196, 215–218
- Input patterns
 collection, 71–83
 linkage to motor commands, 96–97
 processing and storage, 83–86, 93–96

- Input/output function, 125, 269, 404, 439. *See also* Hyperbolic I/O function; Adapt and match, I/O function
- computes in protein circuits, 127–131, 144–146
- key role circuits, protein and electronic, 125–126
- optimizes coding, 258–260
- Insect brain, xviii, 41–43, 89–105, 235–264, 448n2
- Insulin, 32, 46, 65, 66, 68
- Interface, xiii, 4, 65, 235–264, 384–386
- Interhemispheric tract. *See* Corpus callosum
- Internal milieu, xiv, xv, 11, 15, 44, 45, 89, 104
- Internal physiology, 70
- Inverting signal, molecular mechanism, 296–298
- Investment. *See also* Costs; Economics; Diminishing returns
- in brain, xii, 22, 71, 76
- within cortex, 333, 342, 354–357, 362, 396
- limits on returns, 283–284, 442
- in sensors and senses, 58, 91, 235, 283–284, 333
- strategies, 9, 91–92, 135
- in tracts, 397
- I/O function. *See* Input/output function
- Ion channels. *See also* Calcium channel; Chloride Channel; CNG channel; Potassium channel; Sodium channel; TRP channel
- and conductance, 142–143, 201, 213
- enable electrical circuits, 138–151
- energetics, 141
- ligand gated (*see* Acetylcholine receptor; GABA receptors; Glutamate receptors)
- power transistors and, 141–142
- response speed and, 141
- single-channel conductance, 141–142, 201, 213
- single-channel current, 141
- structure and function, 139–142
- voltage sensitive/gated, xvii, 18, 38, 130, 147–151 (*see also* Calcium channel; Potassium channel; Sodium channel)
- Ion pumps and exchangers. *See* Calcium pumps and exchangers; Chloride pumps; Sodium-potassium pump
- Ions. *See also* Calcium ions; Chloride ions; Potassium ions; Sodium ions and electrical signaling, 8, 18, 106, 138–154
- IP₃. *See* Inositol triphosphate
- Kasparov, Garry, xi
- $k_B T$, (Boltzmann's constant \times absolute temperature), 122
- K_d . *See* Dissociation constant
- Kenyon cell (mushroom body), 94–95
- Kidney, xiv, 47–49, 60, 64, 67, 70, 393
- Kinase
- finite state machine, role in, 118
- inactivate adrenergic receptor, 121
- inactivate rhodopsin, 202, 209, 210
- insect phototransduction, role in, 215, 217
- isoforms, 462n11
- memory and learning, role in, 32, 132, 412–413
- Purkinje neuron, role in, 418
- regulate glutamate receptors, 412–413
- regulated by dopamine, 287
- role in electrical coupling, 287
- Lac operon (*Escherichia coli*), 12–14
- Lactose, 12–16
- Lagged cell, 331–335, 345 458n2
- Lamina (insect visual system), 90, 94, 235–264

- Language network, temporofrontal, 407–410
- Large monopolar cell (LMC), 140, 236–264
- LGN. *See* Lateral geniculate nucleus
- Lateral geniculate nucleus, 325–331
 axon arbors sculpted by experience, 405
 cortical projections to, 348, 349
 diameter of relay axons to cortex, 461n18
 eye clusters separate but interleaved, 361
 main computational task, 327
 lagged cell (*see* Lagged cell)
 parallel streams, 325–327
 private lines preserve acuity, 328
 projection to cortex, 333–334, 336, 340
 role of quasi-secure synapse, 328–331
 reduces redundancy and concentrates information, 327–328
 six reasons for, 334–336
 as a thalamic relay, 327
 use of synaptic resources, 332–33, 458n2
 where located, 88, 324
- Lateral inhibition, 249–250, 329, 434, 440, 454n5, n6, 455n10
- Law of diminishing returns
 governs investment in information and S/N, xvii, 52–54, 91, 134–136, 199, 245–246, 302
 overarching constraint on design, xvii, xix, 89, 105, 433, 442
 and wiring efficiency, xix, 54, 302, 365, 442
- Laws of conservation. *See* Cajal's laws of conservation
- Learn and forget, 430
- Learning, 96
 by *C. elegans*, 32
 circuits for, 406–410
 constraints on, 401
 defined, 401
 and emptying the trash, 408–410
 motor (*see* Motor, learning)
 and mushroom body, 102
 to read, 406–410
 role of NMDA receptor, 167
- Learning, design principles, 401–410
 sculpt circuits to match stable statistics, 405
 store and retrieve without adding wire, 404
 store for as long as needed, 402–404
 store only what is needed, 402
- Length constant, passive electrical transmission, 170
- Level detector, chemical circuit, 132
- LGN. *See* lateral geniculate nucleus
- LMC. *See* Large monopolar cell
- Locomotion
C. elegans, 22–27
E. coli, 15
 Fly, 97
Paramecium, 17–20
- Logarithm (mathematical operation), 128, 146, 172
- Long-term potentiation (LTP), 159, 405, 413–416, 452n3
 early, 413–415, 418
 late, 414–415
- Lovespot, 92
- LTP. *See* Long-term potentiation
- Make neural components irreducibly small*
 234, 436
- Maps, 43, 70, 73, 79, 81
 advantages, 389–392
 of body surface, 378–380
 in cerebral cortex, 350–351, 364
 motor, in colliculus, 81
 of orientation and place, 96–97, 400, 419
 reorganization of, 402, 405

- in visual systems, 93–94, 236–238, 326–327, 350–351, 364
- and wiring efficiency, 389–392, 439
- Matched filter, 231, 257–258
- Mathematical operations in circuits, 117, 125, 127–131, 145–146, 287–288, 301–302, 339–341
- Mechanosensor, 27–28, 30, 74, 81, 83, 92, 265–269, 455n3
- Membrane
 - capacitance, 8, 138, 143 (*see also* Analogue circuit elements)
 - potential, 142, 162
 - resistance, 8, 144, 166, 170–171, 185, 230–231, 255 (*see also* Analogue circuit elements)
 - supports RC circuit, 142–143, 172, 204
 - time constant, 8, 138, 144, 230
- Memory, xv
 - in *E. coli*, 15–17
 - genetic cf. population, 17
 - match to lifespan and lifestyle, 16, 21, 38–39
 - molecular design for long term, 413–417
 - molecular design for short term, 412
- Memristor. *See* Analogue circuit elements
- Metabotropic receptor, 168
- mGluR receptor, 168
- Microtubules, 175, 176, 185, 213, 291, 295, 374
- Microvillus (compartment for phototransduction) 196, 215–222, 225, 227–228, 453n8, 453n10
- Mindful practice, importance of, 87, 432
- Miniature postsynaptic current (MPSC), 160
- Minimize wire*, 88, 105, 238, 396, 414, 438
- Mitochondria
 - constrain rates and efficiency, 54, 152–153, 157, 436
 - distribution and demand, 393–394, 396, 397. *See also* Cytochrome oxidase
 - generate ATP, 152
 - in glia, 181
- Mitochondria and the cost of space and materials
 - in axons, 54, 182, 185, 374, 377, 397
 - in photoreceptors, 200, 212, 222
 - in tracts and nerves, 396–397
- Mobile telephone, 9, 112
- Molecular motors, 175
- Mormyrid fish, 76–77
- Mossy fiber, 184, 186–189, 372
- Moth, bat detection, 92
- Motion (visual), 214, 344
- Motor control, 34, 68
- Motor errors, 44
- Motorize sensors, 29, 79–82, 92
- Motor learning, 44, 100
- Motor maps. *See* Maps, motor
- Motor neurons
 - C. elegans*, 13, 224–28, 31, 34, 36–37
 - columns, dendritic overlap, 70–73
 - inhibitory and excitatory, 24
 - insect, 98
 - mammal, 51, 60, 66, 68, 70, 425, 431
- Motor pattern
 - distribution 98
 - generator, 98
- Motor system
 - E. coli* 15–17
 - C. elegans*, 22–29, 34, 36
 - insect, 96–104
 - mammal, 68–73, 79–84, 86–87
- Movement, design for integration and coordination 18–21, 22–31, 61–73, 79–85, 98–101, 325, 425
- Multicellularity, 20

- Multiplication (arithmetical operation), 132, 146, 172
- Multivesicular release, 163, 168
- Muscle
 brain saves energy used by, 9
 control of energy production, 91
 coordination of, 61, 70–73
 cost of, 48–49, 137
 part of oscillator, 22–26, 34, 103
 sculpting of, 401
 sensors of, 84
 signals to, 60, 64–68
- Mushroom body, 43, 90, 94–95, 100–102
- Music
 social and personal benefits, xvi, 11, 76, 92, 403, 429, 431, 462n3
 specializations for, 76, 359–360, 392, 403, 431, 463n16
- Myelinated axons, 63, 68, 71, 87–88, 374, 385, 389, 392
- Myelinated tracts, 42–43, 443
- Myelination
 benefits of, 57, 181–183
 costs, 181–182, 397, 443
- Naming, disconnection syndrome, 360
- Nanodomain, 150
- Nanofy, xvii
- Natural scenes and images, power spectra 229, 261–262, 314, 337
- Natural scene and image statistics, 198, 208, 229, 236, 259, 302, 314, 337, 339, 342, 351. *See also* Adapt and match; Predictive coding; Receptive field
- Natural selection, xiv, 36, 58, 76, 155, 201, 405, 447n1, 447n3
 can it do better? 441–444
 design and designer, xx–xxi, 5
- Natural statistics 352, 357. *See also* Natural scene and image statistics
- Navigation, 96–98, 400–401, 419, 458n4
- Neatening up, 6–7, 103, 224, 309–311
- Negative feedback, 149, 216 299
- Nernst equation, 140
- Neural superposition, 237–258
- Neuromodulators, 30–32, 35, 38, 89, 231–233, 287. *See also* Dopamine; Octopamine; Serotonin
- sculpt neurons and circuits, 31–32, 35, 231–233, 287
- switch behaviors, 32
- Neuron, 21, 155–194
 basic structure and function, 156–157
 build for particular task, 180
 design for local processing, 179–180
 design for speed over distance, 155–194
 design serves a larger circuit, 184–190
 efficiency, need for, 157
 energy budget 190, 191–193
 generic, 190
 identified, 36
 as key innovation, 38
 as shape-shifter, 176–194
- Neuronal array, 95–96, 236, 249–252.
See also Wiring efficiency, designs for connection of neuronal arrays
 matched to natural statistics, 306–309
 maximizes transmitted information, 249–252, 303
- Neurons, numbers in given species, 22, 41, 76–77, 86, 102, 448n3
- Neuropeptide, 89, 388, 448n1
- Neuroscience, field of endeavor, vii–xiii, xxi, 1, 5, 439, 444
- Neurosecretory clusters. *See* Endocrine glands
- Neurotransmitter, 129, 139, 140, 146, 158, 183, 169, 427, 452n5
- NMDA receptor, 165–168, 330, 417
 as coincidence detector, 167, 172, 189
 role in learning and memory, 167, 412–413, 417–418

- Noise, 111. *See also* Signal-to-noise ratio (S/N)
 and information, 111–114
 in protein circuit, 133–137, 151–152
- Noise reduction mechanisms
 in axon, 174–175, 255–258
 in photoreceptors, 206, 218
 in protein circuits, 133–137, 152–153,
 in retinal circuits, 280–284, 309
- Noise sources
 axon, 174–175
 diffusion, 133
 ion channels, 151–152, 185
 photons, 198
 signaling molecules, 117, 120
 synapses, 161–164
 thermal, 33, 114, 120, 122, 137–138, 151, 185 (*see also* Brownian noise; Opsin, dark noise and thermal activation)
- Nyquist limit, 79, 92, 303, 337
- Object identification, 356
- Occam's razor, 6
- Octopamine, 35, 91, 101, 426
- Ocular dominance, 344, 390–391, 405
- Olfactory systems, 33–36, 43, 46, 64, 84, 92–95
 architecture of, 84, 92–96, 253, 267–269, 274, 454n5
 investment in, 33–34, 58, 73–75, 92
- Oligodendrocyte. *See* Glial cells
- ON and OFF, parallel visual pathways, 291–322, 306–309
- Operon, lac 12
- Opsin
 cone photoreceptor, 210
 dark noise and thermal activation, 198–199, 207–209, 213–214
 fly photoreceptor, 213–214
 rod photoreceptor, 196–204
 trade stability for rate, 207–209, 213
- Optic nerve, 7, 63, 69–75
 astrocytes in, 181
 bit rate, 85
 connection to central targets, 323–325
 distribution of axon diameters, 63, 321
 information bottleneck, 320–322
 myelination, 182
 number of axons, 267
 space and energy, 182, 397
 spike rates in, 74, 320–322
- Orexin, 64
- Oscillator
 chemical circuits for, 59, 130–132, 449n1 24, 103
 circadian, 59, 61, 449n1
 neuromechanical, 24–27, 103
- Output patterns, distribution to effectors 64–70
- Paddington Station, 419–420
- Pain receptors, 71
- Parallel array. *See also* Sensor array; Neuronal array; Synaptic array
 efficiency optimized, 135–137
 noise reducer of last resort, 134
- Parallel channels. *See also* ON and OFF
 formed by synaptic mechanisms, 291–322
 increase efficiency by reducing rates, 291–311
- Parallel fiber (cerebellar). *See* Granule cell
- Parallel pathways, 84, 322, 325, 335, 434
- Paramecium* xiii, 13, 17–21, 38
- Parasympathetic nervous system.
See Autonomic system
- Parts, catalogue or list, 5, 35, 125, 155, 169. *See also* Choosing or selecting components; Genome
- Pattern generators
 central, 24, 26–27, 92, 96, 98, 101
 high-level (*see* Hypothalamus)

- Pattern generators (cont.)
 intermediate-level, 82
 motor (*see* Motor, pattern generator)
- Pattern generators, low-level 60, 61–62, 64
 coordination by corticospinal tract, 69–70
 for eye and ear movements, 81–82, 83
 for flexion and extension, 83–84
 manage autonomic effectors, 68
 manage motor neurons for skeletal muscle, 68
 regulate posture, 68
 retinal input to, 316
 space for, 70
 where located 68, 72–73
- Pattern recognition, 29, 34, 43, 86–87, 102, 167, 343
- Pavlov, Ivan xiv, 11, 46
- PDE. *See* Phosphodiesterase
- Phosphodiesterase (PDE), 196, 201–204, 209
- Perception
 pathways to, 325, 342, 344, 353
 threshold for, 20, 27–28, 199, 279, 323, 443
- Pheromones, 30, 91
- Phosphatidyl inositol biphosphate (PIP₂), 215–218, 224
- Phospholipase C (PLC), 196, 215–218
- Photon noise, 219, 229, 231, 252, 260–263, 280, 313
- Photoreceptors, xviii, 7, 73–74. *See also* Cone photoreceptor; Fly photoreceptor; Rod photoreceptor
 common coding strategies, 218–222
 common physical constraints on design, 213–214
 counterintuitive design, 195–197, 234
 of drone bee as mate detector, 231–233
 of fruit fly *Drosophila* cf. killer fly, *Coenosia*, 91
 gain and gain control, 120, 147
 of housefly lovespot, 92
 of locust, 231–232
- Photoreisomerization, 214
- Phototransduction, xviii. *See also* Cone photoreceptor; Fly photoreceptor; Rod photoreceptor 195–234
- Piano tuners, 400–401
- PIP₂. *See* Phosphatidyl inositol biphosphate
- Pituitary gland, 60, 64–67, 69, 89
- PLC. *See* Phospholipase C
- Pleasure, xvi
- Ponzi scheme, 283–284
- Portal vessel, 67
- Positive feedback, 18, 147–149, 216–218, 222–224
- Postural hypotension, 47
- Potassium channels, 140
 increase efficiency, 230–234
 in myelinated axon, 182–183
 role in action potential, 141, 147–149
 role in basic circuit, 142–147
 role in dendrites, 170, 172, 414
 role in gain control, 212, 222, 230
 tune membrane bandwidth, 227–234
- Potassium conductance
 role in gain control, 145–146, 222
 and shunting inhibition, 145–146, 169
- Potassium ions 140–142, 147. *See also* Sodium-potassium pump
 driving force, 138, 141, 143, 149, 162
- Potential synapses or connections, 269, 371, 382–387, 442. *See also* Connectivity repertoire
- Prediction, 13, 401, 439
- Predictive coding, 248–252, 284
 matching to image statistics, 251–252
 matching to S/N, 252
- Predictive regulation, digestive system, blood pressure, kidney, 46–48

- Presynaptic subtraction. *See* Subtraction
- Protein circuit
 for bandwidth and S/N, 206–210
 for high gain, 197–204, 206–210
 gain control in, 206
 trades gain for speed, 216
- Protein diversity, 5, 33, 35, 125, 155, 164, 169, 210, 234, 451n5
- Protein molecule. *See also* Allostery;
 Energy landscape
 ability to process information, 105–107, 114–12
 binding specificity, 115, 121
 computes in circuit, 114–124, 127–131
 energy efficiency, 122–124, 141
 fixed cost, 135
 size, 105, 114, 116
- Protons, as chemical messenger, 216
- Purkinje cell, 184, 371, 376
- Push-pull circuit, 308–309, 341
- Quantal rates, step down, 280
- Quantizing cone signal, 287–291
- Quantum, unit signal at chemical synapse, 163
- Quasi-secure synapse. *See* Synapse, quasi-secure
- Ramón y Cajal, Santiago, 265, 363, 399, 447n3, 456n7, 462n4
- Receptive field
 adapt and match to input statistics, 251–252, 287, 303–305
 computation by local circuit, 288, 302
 optimal overlap, 303–305
- Receptor (protein molecule), 12, 33 117–123
- Receptor cluster, size range at synapses 163–165
- Reciprocal inhibition. *See* Inhibition, reciprocal. *See also* Inhibition, cross
- Recoding, 265–276, 279
- Rectification, 276, 296–298, 322.
See also ON and OFF parallel visual pathways
- Redundancy
 and amplification, 120
 definition, 107, 111–112
 and information capacity, 53, 111–112
 and S/N, 111, 134–135, 303–306, 334
 and sparse coding, 341–343
- Redundancy reduction, 84, 93–95, 270, 327–328, 334, 386–387, 404
 summary of, 433–434 (*see also* *Send only what is needed*)
- Redundancy reduction mechanisms.
See also Predictive coding; Lateral Inhibition
 adjust response waveform, 261–263
 inhibition, 111, 169, 192
 ion channels, 168, 231
 subtraction of mean, 248–255, 270
 synaptic, 252–255, 270–272, 279, 287, 411
- Reflexes, 84
- Repackage signals, 327
- Resistance. *See* Membrane; Analogue circuit elements
- Response dynamics, tuned to optimize efficiency, 260–263
- Resurrection, 63–64
- Retina
 insect, 90, 94
 mammal, 277–322, 365, 369
- Retinal amacrine cells
 AII, 308–310, 313, 458n17
 polyaxonal, 179–180
 starburst, 179–180, 313, 317–318, 370
- Retinal bipolar cells, 205–207, 258–259, 278, 296
 enhance timing precision, 300
 sparsify and rectify, 280, 291–298
 step down rates, 279–281

- Retinal ganglion cells, 278
 core computational task, 300
 function and evolution of different types, 311–319
 maximize information sent by array, 303–307, 434
 optimize summation, 300–303
- Retinal horizontal cells
 connection to cone synapse, 281, 292–293, 295
 energy costs, 393–394
 location in retina, 278, 280
 minimize wire, 287
 network function and design, 284–287
 role in color coding, 337
 role in computing difference-of-Gaussians, 288–289
 types of, 287
- Retinal, 11-cis and all trans. *See* Chromophore
- Reversal potential, 143, 162. *See also* Driving force
- Reverse engineering, xiii, 1, 9, 278, 311
- Reversible computation, 122
- Reward prediction, 44, 422–428
 brain region (*see* Ventral tegmental area)
 error, 100, 102, 422, 427–430
 learning, 87, 422–425
 theory of, 422
- Reward signal, 418
- Rod photoreceptor (mammal)
 compared to other photoreceptors, 199–200, 212, 225, 453n1
 costs, energy and space, 196, 212–225
 dimensions, 199
 role in starlight, 197–207
 role in twilight and daylight, 206–207, 212
 single-photon response, optimization and transmission, 199, 201–206
 synapse, 204–207
 working with cones, 207, 210
- Salt appetite, 47
- Satisfaction, episodic, 399, 428
- Scaffold, 133, 215–217, 410. *See also* Cytoskeleton
- SCN. *See* Suprachiasmatic nucleus
- Scythe of Saturn, 57–59, 89
- Sebal, W.G., 57
- Second messenger, 65, 68, 168, 214. *See also* Cyclic adenosine monophosphate, (cAMP); Cyclic guanosine monophosphate (cGMP); Calcium ions, as chemical messenger
- Self-shunting, 143, 260
- Send at the lowest acceptable rate*, 88, 105, 123, 234
- Send only what is needed*, 88, 105, 111, 133, 175, 263, 348–349, 434
- Sensor arrays, 76–82, 92, 212–213, 268–274, 280–296
- Sensors, motorized, 29, 79–82
- Sensory patterns, collection of, 71–83, 96
- Serotonin, 31, 35, 184, 231–233, 452n5
- Shannon, Claude E., 9, 50, 52, 106–113, 123–124, 247, 450n3
- Shunting inhibition, 169, 299, 343
- Signal attenuation
 by diffusion, 127, 159, 200, 295
 by passive electrical transmission, 170–171, 255–258 (*see also* Adapt and match, electrical coupling to input statistics)
- Signaling cost. *See* Cost, signaling
- Signaling protein, 114
- Signaling complex, 12, 15, 133–134, 137–138, 159–163, 202, 209, 234, 435
- Signal-to-noise ratio (S/N). *See also* Adapt and match array to input S/N; Bandwidth, trade for energy, S/N; Law of diminishing returns, governs

- investment in information and S/N; Noise reduction mechanisms; Redundancy, and S/N; Synapse designed for, high S/N
- constrains information, 111–114, 135–137, 226, 241–245, 248
- improved by transmitting via parallel arrays of components, 134–137
- increases according to square root law, 134
- of input determines efficient investment, 134–137
- Simple cell (V1), 338, 343–344. *See also* Gabor filter
 - adapts to improve efficiency, 343–344
 - advantages of sparse coding by, 341–343
 - circuit for Gabor filter, 339–341
 - distribution of outputs, 345–359
 - insecure synapse, 338–339
 - motion coding by, 344–345
 - and optimal coding, 337–338
- Single photon response. *See* Fly photoreceptor; Rod photoreceptor
- Sky compass, 96–97
- Sleep, 91
- S/N. *See* Signal-to-noise ratio
- SNARE complex (for synaptic vesicle release), 160
- Social behavior, xvi, 30–31, 76, 82, 91
 - and brain size, 86, 102, 401
 - and specialization of brains within community, 431
- Sodium channel, 18, 38, 140–141
 - and action potential, 147–150
 - in basic electrical circuit, 141–147
 - cost of, 152–153
 - in dendrites, 172, 304
 - in myelinated axon, 182–183
 - specialized for task, 270, 438, 456n6
 - subthreshold amplification by, 172, 231–233
- Sodium ions, 18, 152, 163, 166, 168.
 - See also* Sodium-potassium pump
 - in basic electrical circuit, 140–142, 144, 149
 - driving force, 138, 141, 143, 147, 162
- Sodium-potassium pump, xvii, 7–8, 138, 141–143
 - constrains rates, 152–153, 435–436
 - energy cost, 174, 212, 224, 245–246, 393–394, 435–436
 - location, 183, 200, 212, 222, 393–394, 396
- Sparse coding, 153–154, 185, 188, 192, 276
 - in cerebral cortex, 341–343, 353, 359, 411
- Sparsify*, 188, 280, 298–300, 322, 339, 438
- Specialization, 34, 104, 225
- Specialize, 234, 354, 438
- Speech, 408
 - frequencies of, 76–78
- Speed over distance, xviii, 18–20, 138–142, 147–151, 155, 194, 234, 435
- Spillover, 188–190, 281, 330, 377
- Spine. *See* Dendritic spines
- Square root law, 279–280, 283
- Starburst amacrine. *See* Retinal amacrine cells
- Starlight image and its capture, 198–200
- Star-nosed mole, 79–81
- Stellate cell (cerebellum), 156, 184, 186, 189, 190
- Stereopsis, 344
- Stick and carrot, 30–31
- Stress, 30, 35, 91
- Striatum, 43, 60, 69, 84, 87–88, 377–378, 418–419, 425
- Subformal organ, 65, 67, 69, 448n1
- Subtraction (arithmetical operation), 128, 145, 172, 253–256, 284
 - efficient implementation, 253
 - presynaptic, 253–256, 286–287

- Summation, optimized, 300–304
- Superior colliculus
 - function, 79–82, 84, 177, 324–325, 347–348, 351, 450n18
 - location, 60, 69, 324
- Superior olivary nucleus, 74
- Suprachiasmatic nucleus (SCN), 59–64, 323–324
- Switches, 125, 132, 161
- Symmorphosis, 13, 137, 151, 160, 230, 263
- Sympathetic nervous system. *See* Autonomic nervous system
- Synapse
 - active zone, 158, 186–187, 207, 212, 291–297, 328
 - axo-axonic, 178–179
 - basic structure and function, 157–154
 - chemical, 159–174
 - dendro-dendritic, 176–179
 - electrical, 158, 178–179
 - energy cost, 160–164, 168, 175, 191–194, 212, 245–246, 394–395
 - gain control, 299–300
 - glomerular, 95, 186–188, 328–355, 377
 - inhibitory, 169–170, 178–179
 - insecure, 338
 - matched to signal, 161, 166, 186, 248, 259–260, 290–292, 295
 - postsynaptic electrical response, 163–164
 - quantal pulse, 163–164, 295, 299–300, 306
 - quasi-secure, 328–331, 333, 335, 338
 - reciprocal, 299
 - structure and function, 157–174
 - tetradic increases efficiency, 239, 242, 247–248, 263
 - trade-offs in design, 164
- Synapse designed for
 - coincidence detection, 167–168, 172, 189, 418–419
 - concentration of information, 328–332
 - high rate, 186–188, 204–207, 225, 241, 245–247, 279–291, 299
 - high S/N, 187–188, 204–207, 245–247, 260, 279–291, 299
 - local computation, 176–179
 - noise reduction, 204–206
 - reduction of redundancy, 168, 248–263, 279–283
 - separating timescales/bandwidth, 164–168, 291–296
 - stepping down rate, 186–188
- Synaptic amplification, optimization of, 258–260
- Synaptic array
 - cost and performance, 245–248
 - match capacity to input, 248
- Synaptic cleft, 158–160
 - optimization of width, 160
- Synaptic homeostasis, 162, 411–412
- Synaptic noise. *See* Noise sources, synapses
- Synaptic plasticity, short term, 404. *See also* Calcium ions, and synaptic plasticity and memory; Long-term potentiation; Synaptic weight
- Synaptic resource allocation, 248, 332–334
- Synaptic ribbon
 - bipolar cell, 299–300, 457, n9
 - cone, 275, 292–293, 295, 455n5
 - hair cell, 270–271
- Synaptic vesicle
 - diameter and performance, 164, 270, 290, 296
 - recycling, 162–163, 193
 - structure and function, 158–164
- Synaptic vesicle release
 - energy storage and cost, 161, 163
 - mechanism, 159–162
 - rate and performance, 186, 204–207, 225, 245–247, 260, 290, 299

- temporal precision and bandwidth, 161, 270, 272
- tonic, 197, 241, 308
- Synaptic weight, 162, 286, 301–303
 - and memory, 404, 410–417
- Synaptotagmin, 130, 160–161

- Taxi drivers, 400–402
- Teaching neurons
 - mammal, 425–427
 - worker honeybee, 426
- Teaching signal, 401, 419, 422, 424–425, 427–428
- Telephone, mobile, 9
- Temperature sensors, 32–33, 73, 74, 83, 84, 449n11
- Temporal difference model, 422
- Tetradic synapse. *See* Synapse, tetradic
- Thalamic relay
 - design of, 325–327
 - six reasons for, 334–335
 - striatal and cerebellar inputs to, 87
 - why and how concentrates information, 327–329
- Thalamus
 - function (concentrate information), 84
 - location in brain, 60, 69, 88
- Thermal noise. *See* Noise sources, thermal
- Thermodynamic
 - entropy (*see* Entropy, Boltzmann's thermodynamic)
 - fluctuations and noise, 133–134, 151
 - limits, xvii, 122–124, 131, 134, 137, 142, 435
- Thermodynamics, 3, 122–124, 441
- Three fifths rule (optimal volume fraction of synapses), 367, 375
- Threshold. *See also* Decision, behavioral and noise
 - action potential, 148–149, 162
 - behavioral 199, 241, 279, 323
 - and cooperativity, 130
 - and decision making, 20
 - in fly phototransduction, 218, 222
 - reduces information rates, 332–333
 - reduces noise, 130, 134, 206, 306, 309, 322, 437
- Time constant. *See* Membrane time constant
- Tracts, 41, 89
 - axon diameters (*see* Axon diameter; Axon diameter distribution)
 - economical design, 63
- Trade-off, 8, 48–49
- Tranquilizers, 169
- Transmitter molecule, 106. *See also* Hormones; Neuromodulators; Neurotransmitter; Gliotransmitters; Second messenger; Wireless signaling
- Transporter proteins, xviii, 8, 12, 15, 29. *See also* Dopamine transporter; Glutamate transporters; Ion pumps and exchangers
 - at cone synapses, 281, 296
 - energy consumed by, 163, 168, 191–192
 - function in glomerular synapses, 188, 330
 - function in other synapses, 158, 161, 163, 164, 452n5, 461n19
 - glial, 183
 - and synaptic timescale/bandwidth, 166–169
- TRP channel, 215–218
 - as AND gate, 218
 - mechanical gating of, 216
 - reduces dark noise, 218
- Tu-4 (Tupulov), 1

- Uncertainty and information, 51, 105, 107–111, 133

- V1 (primary visual cortex), 325, 335–353. *See also* Complex cell; Simple cell

- V2 (secondary visual cortex), 351–353
- Ventral stream, “what,” 93, 356, 358
356–359, 361
- Ventral tegmental area, 60, 69, 427
- Vesicle. *See* Synaptic vesicle
- Vestibular axon, 75, 267, 274–275, 377
- Vision, xxi, 4, 9, 58, 74, 79, 456n4,
449n14
and central mechanisms, 319, 324–
325, 391
color, 284, 319
high speed, 235–264
and photoreceptors, 195, 199, 214,
220, 225, 231
- Voltage sensitive channel. *See* Ion
channels, voltage sensitive/gated
- VWFA (visual word form area), 406–
410, 419
- Wakefulness, 58–59
- Weber-Fechner law, 128
- Weighting function, optimal, 337, 340,
352–354
- White matter, 57, 71, 73, 88, 443
benefits, 181–183
cellular composition, 181
in cerebellum, 371–373, 379, 395
in cerebral cortex, 346–347, 381–387,
395, 400
costs and efficiency, 181–182, 395
- Wireless signaling
in brain, 42, 64–67, 69, 89–90,
425–428
and efficiency, 131, 137, 363, 435
in protein circuit, 117, 119, 120
- Wireless regulation, 67
- Wires (axons and dendrites)
need for, 67–68
total length in human nervous
system, 460n1
- Wiring costs, minimization, 36–37
- Wiring diagram, lamina cartridge, 239,
242
- Wiring efficiency, xix, 363–398. *See also*
Component placement; Three fifths
rule
biophysical constraints on, 365–367
in cerebellum, 185–190, 369–389
in cerebral cortex, 379–389
and connection of neuronal arrays,
367, 369, 379
and folding, 378–379
improved by matching meshworks,
368, 370–371
increased by subdividing areas,
389–392
in lamina cartridge, 238–241
and potential contacts, 366, 371, 379,
382–387
in retina, 367–370
- Wiring efficiency, axonal and dendritic
branching, xix, 71–73, 173, 363–368
cerebellum, 185–190, 370–380
cerebral cortex, 380–384, 387–389
retina, 367–380, 457n15
spines, 366, 371, 375–377, 379, 383,
387–388
- Wiring efficiently for integrated
movement, 72–73
- Wiring preserves information, 236–241
- Working memory, 358
- Worm. *See* *Caenorhabditis elegans*
- Zen, 16