

(Click on the tabs above for more information on each topic. Some tabs also have tabbed subtopics.)

Welcome to the *Journal of the Acoustical Society of America* \LaTeX article preparation system, using JASA 1.1

Tech Support

If you need help after you read this documentation, you may send an email to lbury@acousticalsociety.org. If possible please send a small file demonstrating the problem. We've made the process of preparing your article for submission to JASA as simple as possible, and hope you'll enjoy the process.

Files in this package, and what they do

<code>JASA.cls</code>	JASA Document class file, Version 1.1
<code>JASAtemplate.tex</code>	Template file, for authors to copy and rename when making their own article
<code>preprintsample.tex/.pdf</code>	Sample preprint article
<code>reprintsample.tex/.pdf</code>	Sample reprint article
<code>figsamp.jpg</code>	Used in sample files
<code>JASAuthyear2.bst</code> <code>JASAnum2.bst</code>	For making bibliography with BibTeX
<code>JASA-ReferenceStyles.pdf</code>	JASA specifications for correct form in bibliography entries
<code>bibsamp1.tex/.pdf</code>	Sample BibTeX bibliography in author-year style
<code>bibsamp2.tex/.pdf</code>	Sample BibTeX bibliography in numerical style
<code>sampbib.bib</code>	Bibliography database for use in sample files
<code>TrackChangesSample.tex/.pdf</code>	See track changes commands and results
<code>readme.txt</code>	List of files and their uses

You'll find many examples of commands in use in `preprintsample.tex/.pdf` and `reprintsample.tex/.pdf` and in `JASAtemplate.tex`, for more information when starting to use the JASA package.

Welcome Getting Started Figures Tables Algorithms Track Changes Ending Article Bibliography BibTeX Advice FAQ

Software Requirements JASATemplate Preprint Options Reprint Options Title Page Commands Title Page Commands-2

Software Requirements

Authors must use revtex4-1. You will encounter an error message if your system is using earlier versions.

AMS-LaTeX is required as well for certain documentclass options.

The Editorial Manager supports all LaTeX style files that are included in the standard TeXLive 2018 installation. The complete list of installed style files is available [here](#).

Packages included

These packages are called in JASA, for your information, so no need for you to do `\usepackage{<filename>}` to access the commands in any of these:

```
\usepackage{endnotes}% if authoryear option is used
\usepackage{graphicx}% Include figure files
\usepackage{dcolumn}% Align table columns on decimal point
\usepackage{bm}% bold math
\usepackage{amsmath,amsfonts}% popular packages from the American Mathematical Society
\usepackage{latexsym}% latex symbols
\usepackage{lineno}% for line numbers
\usepackage{array}% for tables
\usepackage{ulem}% for underlining
\usepackage{xcolor}% for color declarations
\usepackage{hyperref}% for hypertext linking
```

In addition, JASA is built on a base of RevTeX4-1.cls, a complex package in itself, and several additional modifying packages.

>> There is always a possibility for package clashes so do not add any more `\usepackage{}`s than necessary.<<

Welcome Getting Started Figures Tables Algorithms Track Changes Ending Article Bibliography BibTeX Advice FAQ

Software Requirements JASATemplate Preprint Options Reprint Options Title Page Commands Title Page Commands-2

Using the Template file

After you've had a look at either `preprintsample.tex/.pdf` or `reprintsample.tex/.pdf`, the easiest way to start your article is to copy and rename the template file, **JASATemplate.tex**, and use it to start your own article.

You'll find some examples of the commands you can enter on the titlepage, and reminders about where to position Acknowledgments, optional Appendices, and Bibliography.

There is also a brief description of some of the other commands that are demonstrated in the `preprintsample.tex/.pdf` and `reprintsample.tex/.pdf` files.

This should make it relatively easy to format your JASA article.

Preprint and Reprint Styles

JASA has two basic styles: Preprint and Reprint.

- The preprint style is appropriate for sending in your manuscript: in 12pt, one column style.
- The reprint style is use to see how your article may appear if published: 2 columns, 10 pt fonts, with the option of also using 12pt fonts. (Please keep in mind that if your article is accepted for publication, the publisher would determine its final layout.)

Click on the appropriate tab above for a description of the documentclass options.

[Welcome](#) [Getting Started](#) [Figures](#) [Tables](#) [Algorithms](#) [Track Changes](#) [Ending Article](#) [Bibliography](#) [BibTeX](#) [Advice](#) [FAQ](#)

[Software Requirements](#) [JASATemplate](#) [Preprint Options](#) [Reprint Options](#) [Title Page Commands](#) [Title Page Commands-2](#)

Preprint

The basic option

```
\documentclass[preprint]{JASA}
```

Track Changes option

The track changes option allows you to mark changes and will produce a list of changes, their line number and page number at the end of the article. This option should only be used for showing changes for revised submissions.

```
\documentclass[preprint,trackchanges]{JASA}
```

NumberedRefs option

NumberedRefs is used for numbered bibliography and citations. The default is bibliography style is Author-Year.

```
\documentclass[preprint,NumberedRefs]{JASA}
```

And...

These options can, of course, be used in combination.

Numbered Lines

The lines in the preprint version of the article will always be numbered, a feature built into the style.

[Welcome](#) [Getting Started](#) [Figures](#) [Tables](#) [Algorithms](#) [Track Changes](#) [Ending Article](#) [Bibliography](#) [BibTeX](#) [Advice](#) [FAQ](#)

[Software Requirements](#) [JASATemplate](#) [Preprint Options](#) [Reprint Options](#) [Title Page Commands](#) [Title Page Commands-2](#)

Reprint

The basic option

```
\documentclass[reprint]{JASA}
```

12pt Option

For estimating the possible print page count of your paper use the 12pt option:

```
\documentclass[reprint, 12pt]{JASA}
```

No Track Changes with Reprint

Track Changes will only work with the Preprint style.

NumberedRefs option

NumberedRefs is used for numbered bibliography and citations. The default is bibliography style is Author-Year.

```
\documentclass[reprint, NumberedRefs]{JASA}
```

And...

These options can, of course, be used in combination.

[Welcome](#)
[Getting Started](#)
[Figures](#)
[Tables](#)
[Algorithms](#)
[Track Changes](#)
[Ending Article](#)
[Bibliography](#)
[BibTeX](#)
[Advice](#)
[FAQ](#)

[Software Requirements](#)
[JASATemplate](#)
[Preprint Options](#)
[Reprint Options](#)
[Title Page Commands](#)
[Title Page Commands-2](#)

Title Page Commands

Information about selected commands:

\backslash title[<running head on every page except title page>]
 {<Title at top of Article>}, ie,
 \backslash title[JASA/Sample JASA Article]{Sample JASA Article}

will use the square bracket argument on the top right hand side of the pages except for the title page.

\backslash author{}, \backslash email{}, \backslash affiliation{} are self explanatory

For alternate affiliation, use \backslash altaffiliation{}:

\backslash altaffiliation{Also at: Another University, City, State, Zipcode, Country}

If needed, enter this command immediately after the appropriate \backslash author{} command.

Sample title page

```

 $\backslash$ title[JASA/Sample JASA Article]{Sample JASA Article}
 $\backslash$ author{Author One}
 $\backslash$ author{Author Two}
 $\backslash$ author{Author Three}
 $\backslash$ affiliation{Department1, University1, City, State ZipCode, Country}

 $\backslash$ author{Author Four}
 $\backslash$ email{author.four@university.edu}
 $\backslash$ affiliation{Department2, University2, City, State ZipCode, Country}

 $\backslash$ author{Author Five}
 $\backslash$ altaffiliation{Also at: Department, University, City, State ZipCode, Country}
 $\backslash$ affiliation{Department3, University3, City, State ZipCode, Country}
  
```

See preprintsample.tex/.pdf, or reprintsample.tex/.pdf to see the resulting title page.

[Welcome](#) [Getting Started](#) [Figures](#) [Tables](#) [Algorithms](#) [Track Changes](#) [Ending Article](#) [Bibliography](#) [BibTeX](#) [Advice](#) [FAQ](#)

[Software Requirements](#) [JASATemplate](#) [Preprint Options](#) [Reprint Options](#) [Title Page Commands](#) [Title Page Commands-2](#)

Additional Title Page Commands

Use for Preprint Style:

`\preprint{Author, JASA}`

if you want this message to appear in upper right corner of title page.

Used for Reprint Style:

`\runningfootauthor{}`

Supply name(s) of authors to appear on running foot

`\editorinitials{}`

On first page to the left, will appear in square brackets.

`\DOInumber{}`

DOI number to appear on title page.

`\copyrightyear{}`

Use if you don't want the default, which is the current year.

`\copyrightinfo{}`

Default is: Acoustical Society of America, but you can use this command to change to another name.

[Welcome](#)
[Getting Started](#)
[Figures](#)
[Tables](#)
[Algorithms](#)
[Track Changes](#)
[Ending Article](#)
[Bibliography](#)
[BibTeX](#)
[Advice](#)
[FAQ](#)

[Standard Figures, Figline](#)
[Figure Labels](#)
[No Float Figures](#)

Standard figure environment

```

\begin{figure}[ht]
\begin{center}
\includegraphics[width = .5\textwidth]{figsamp}
\caption{\label{fig:FIG1}{Caption here.}}
\end{center}
\end{figure}

```

Note: The only figure formats allowed are the following: .pdf, .ps, .eps, or .jpg.

Figure files must be named in this fashion: Figure#.xxx, where # is the figure number and xxx is the file format (Figure1.eps, Figure2.jpg, Figure3a.ps, Figure3b.ps, etc).

New Figure Commands

See *preprint.tex/.pdf* or *reprint.tex/.pdf* for many examples of using the `\figline{}` and `\fig{}` commands, new for this style. Please also keep in mind that if your article is accepted for publication, the publisher would determine its final layout.

`\figline{}` will center one or more figures on one line.

Variations on the fig command:

```

\fig{<name of file>}{<width>}{<letter to put underneath>}
\leftfig{<name of file>}{<width>}{<letter to put underneath>}
\rightfig{<name of file>}{<width>}{<letter to put underneath>}
\boxedfig{<name of file>}{<width>}{<letter to put underneath>}
\rotatefig{<degrees of rotation>}{<name of file>}{<width>}
{<letter to put underneath>}

```

Example of Figline with Narrow Caption:

```

\figline{\fig{figsamp}{.7\textwidth}}{ }
\narrowcaption{.2\textwidth}{Here is a narrow caption.}}.

```

Figcolumn for stacking figures:

```

\figcolumn{\fig{figsamp}{.2\textwidth}}{(A)}{\fig{figsamp}{.2\textwidth}}{(B)}
\fig{figsamp}{.2\textwidth}}{(C)}

```


[Welcome](#)
[Getting Started](#)
[Figures](#)
[Tables](#)
[Algorithms](#)
[Track Changes](#)
[Ending Article](#)
[Bibliography](#)
[BibTeX](#)
[Advice](#)
[FAQ](#)

[Standard Figures, Figline](#)
[Figure Labels](#)
[No Float Figures](#)

Labelling in figline

We can now label and reference separate parts of the figure when using figline, ie, figure 1(a).

To label figures used in `\figline{}` type in your label immediately after the `\fig{ }{ }{ }` command, inside the argument to figline. For example:

```
\figline{\fig{<name of file>}{<width>}{<letter to put underneath>}\label{<labelname>}}
```

The same placement should be used for all the kinds of fig environments used in `\figline{}`:

```
\fig{ }{ }{ }\label{ }, \leftfig{ }{ }{ }\label{ }, \rightfig{ }{ }{ }\label{ },  
\boxedfig{ }{ }{ }\label{ }, \rotatefig{ }{ }{ }\label{ }, \narrowcaption{ }{ }\label{ }.
```

The resulting reference will include the current figure number and the current letter. For instance, Figure 3(a), or Figure 3(e), etc.

Worked out examples are seen in preprintsample.tex/.pdf, and reprintsample.tex/.pdf.

Labelling outside of figline

Outside of the `\figline{}` environment, you can put the label inside or after the caption as is done in standard \LaTeX .

```
\caption{\label{fig:pressure_field} Multiple images on one figure  
example (a) image 1, (b-f).}
```

Or,

```
\sidebysidefigures{figsamp}{Describing the first  
illustration.\label{sidebysideleft}}/{figsamp}{Describing the second  
illustration.\label{sidebysideright}}
```

Using autoref

The `\autoref{ }` command is part of the hyperref package. It produces the normal reference, plus the name of the current environment when the label was made; in this case 'Figure'. Note that both the name and number/letter are hyperref'ed.

If `\ref{sidebysideright}` produces 7, `\autoref{sidebysideright}` will produce Figure 7.

Welcome Getting Started **Figures** Tables Algorithms Track Changes Ending Article Bibliography BibTeX Advice FAQ

Standard Figures, Figline Figure Labels **No Float Figures**

New environment: `nofloatfigure`

JASA has a new command: `\begin{nofloatfigure}...\end{nofloatfigure}`

A long figure caption is accommodated with `\begin{nofloatfigure}...\end{nofloatfigure}` which prints where it is typed in and will continue over columns or pages as necessary. References will be hyperlinked as they would with `\begin{figure}\caption{\label{text}}\end{figure}`

It works like the standard figure environment, except that it will place the figure exactly where it is typed in.

See an example in `preprintsample.tex/.pdf`, or `reprintsample.tex/.pdf`.

Standard tables

Tables are made in the standard way, with the exception that `\tabular` should be preceded with `\begin{ruledtabular}`, and followed with `\end{ruledtabular}`. This will give us double lines at the top and bottom of the table. Try to avoid using vertical lines unless absolutely necessary.

```
\begin{table}[ht]
\caption{Here is the caption for a table.}
\centering
\begin{ruledtabular}
\begin{tabular}{cccc}
one&two&three&four\\
\hline
C&D&E&F\\
\end{tabular}
\end{ruledtabular}
\end{table}
```

`\begin{table}... \end{table}` is for single column tables;
`\begin{table*}... \end{table*}` is for double column tables.

Table notes

Table notes are made with `\footnotemark[<number>]` in the table, and a matching `\footnotetext[<number>]` below the table, one for each footnote mark.

```
...
In& 0.460 & 18.40 & 3.500 &Ba\footnotemark[1]
& 0.960 & 2.460 & 3.780 \\
\end{tabular}
\end{ruledtabular}
\footnotetext[1]{Here's the first.}
\end{table}
```

Using dcolumn

The `dcolumn` macro set is used to line up decimal numbers on their decimal point within a table. The call to `\usepackage{dcolumn}` is included in `JASA.cls` so you don't need to add it explicitly. <http://anorien.csc.warwick.ac.uk/mirrors/CTAN/macros/latex/required/tools/dcolumn.pdf> will give you detailed information. A gentler introduction may be found in this informative and well illustrated article: <https://www.tug.org/pracjourn/2007-1/mori/mori.pdf>, starting on page 20. (You may want to look at more examples in this quite comprehensive article on making tables in \LaTeX .)

See complete `dcolumn` example in `preprintsample.tex/.pdf` or `reprintsample.tex/.pdf`.

Making Algorithms

Authors have asked for advice about which algorithm package to use. JASA doesn't take a position on this, and we encourage authors to use whichever package they prefer and are comfortable with using, as long as it is compatible with [Editorial Manager](#).

One possibility is `algorithmicx`.

The `algorithmicx` package provides a number of popular constructs for algorithm designs. Put `\usepackage{algpseudocode}` in the preamble to define `\begin{algorithmic} ... \end{algorithmic}`.

Below is an example of typesetting a basic algorithm using this package:

```
\begin{algorithmic}
\If {$i \geq maxval$}
  \State {$i$ gets 0$}
\Else
  \If {$i+k \leq maxval$}
    \State {$i$ gets  $i+k$ }
  \EndIf
\EndIf
\end{algorithmic}
```

Which produces

```
if  $i \geq maxval$  then
   $i \leftarrow 0$ 
else
  if  $i + k \leq maxval$  then
     $i \leftarrow i + k$ 
  end if
end if
```

You can find documentation for this package at:

<http://ctan.mirrors.hoobly.com/macros/latex/contrib/algorithmicx/algorithmicx.pdf>

Comparing various algorithm packages

If you are not sure which algorithm package will best represent your code examples, please visit the Wiki page that compares packages:

<https://en.wikibooks.org/wiki/LaTeX/Algorithms>

Track Changes: Only in Preprint Style

When the 'trackchanges' option is used, revisions made to the text may be tracked using the following:

To add words, `\added{<word added>}`

To delete words, `\deleted{<word deleted>}`

To replace words, `\replace{<word to be replaced>}{<replacement word>}`

To explain why change was made: `\explain{<explanation>}`; This will put a comment into the right margin.

An optional argument may be used to send date/time/initials etc. to the list of changes: ie,

`\added[<date/time etc.>]{<word added>}`

List of Changes

At the end of the document a list of changes, with the page and line number of changes, will appear if you are using 'preprint' style with the trackchanges option.

Sample

1 The (Added: current) abstract should be a single-paragraph of less than 250 words, or
2 for Geophysical Research Letters, less than 150 words. A (Added: really!) good abstract sets
3 the (Deleted: general) question or topic that you are studying for the general reader, provides
4 background on the specific question or problem, briefly describes key data or analyses, and
5 describes the key results and (Replaced: certainties with uncertainties). (Deleted: In other
6 words, probabilistic biases, which can be reduced by statistical post-processing methods;
7 decrease over time.)

← Redundant sentence, better without it

List of Changes

Added: current, on page 1, line 1.

Added: really!, on page 1, line 2.

Deleted: general, on page 1, line 3.

Replaced: certainties with uncertainties, on page 1, line 5.

Deleted: In other words, probabilistic biases, which can be reduced by statistical post-processing methods, decrease over time., on page 1, line 7.

In final version

When the trackchanges option is not used, `\listofchanges` will not produce anything,

`\added{<word or words>}` word will be printed,

`\deleted{<word or words>}` will not be printed,

`\replaced{<delete this word>}{<replace with this word>}` will print only the replacement word.

In the final version, `\explain{<text>}` will not print anything.

End of Article

The article follows this order:

... Body of Paper
Conclusions
Acknowledgments
Appendix
References

Conclusion and Acknowledgments (are straightforward)

```
\section{Conclusion}
And in conclusion ...

\begin{acknowledgments}
This research was supported by ...
\end{acknowledgments}
```

Appendices

The command `\appendix` resets counters and redefines section heads but doesn't print anything.

After typing `\appendix`

```
\section{Here Is Appendix Title}
Text ...
\section{Second Appendix Title}
```

will make

Appendix A: Here Is Appendix Title

Appendix B: Second Appendix Title

Equations will include the appendix letter in their numbering. Figure and tables will be formatted and numbered in the same way as in the rest of the article; the numbering will continue sequentially throughout the whole article.

A Single Appendix

A lone appendix should not be lettered. In this case, use the command `\appendix*` and the section will yield:

Appendix: Title

without a letter.

Footnotes

Footnotes are actually formatted as endnotes. The contents of the footnote will appear at the beginning of the bibliography by default; interleaved with other references if NumberedRefs option has been used.

Making a typed in Bibliography

You will probably find that using BibTeX is a lot less labor-intensive than typing in your entries without using BibTeX.

One way that typing in your own entries is more difficult is in determining the style rules. (When using BibTeX, the .bst files will do this for you.)

A resource for making your bibliography entries correctly is included in this package: JASA-ReferenceStyles.pdf. It is important for you to consult this set of examples showing the correct form for bibliography entries.

Two bibliography styles: Author-year and Numbered

There are two different styles of bibliography entries possible: author-year and numbered. Author-year is the default.

Author year entries need to have an argument in square brackets following `\bibitem`:

```
\bibitem[what will print]  
{<label>}...<body of bibitem>
```

Bibitems done in the numbered style need only one argument after `\bibitem`:

```
\bibitem{<label>}...<body of bibitem>.
```

Making citations

You should generally use `\citep{}` for your citations, instead of `\cite{}`. `\citep{booksamp2}` for example, will produce (Anderson, 1983). Optionally, you can use `\citete{}` which will produce the reference with parens around the year but not the name: 'Anderson (1983)'.

In addition JASA has a new citation command: `\citen{}` which will let the user have a numbered citation where the number is not raised.

For example, "Acoustic simulation tools are investigated in Ref. 1." The "1" shouldn't be superscripted, so we use `\citen{<bibitem>}`.

Numbered bibliography

When you have used `\documentclass[preprint,NumberedRefs]{JASA}` you will have numbered references.

Entering the bibitem for a numbered bibliography is almost the same except that you don't need to follow `\bibitem` with an argument in square brackets.

Please see [preprintsample.tex/.pdf](#) or [reprintsample.tex/.pdf](#) for more examples of making a bibliography with BibTeX.

Starting Point: Make the .bib file

Sample bibliography files using BibTeX are: bibsamp1.tex/.pdf for author-year formatting, the default; and bibsamp2.tex/.pdf, for numerical formatting.

You may want to look through sampbib.bib, the database file used to produce the example files above. It may help you when you are having trouble getting the database to produce entries that match the specifications in JASA-ReferenceStyles.pdf.

Notice that there are two new functions: computercode, and newspaper, seen here as they appear in sampbib.bib:

Computercode:

```
@computercode{sampcode,
key={WAON, 2008},
language={WAON},
title={Version 3.1 User's Manual},
publisher={Cybernet Systems Co., Ltd},
year={2008}}
```

Newspaper:

```
@newspaper{newspaperSamp,
author={J. Gordinier},
date={September 9},
year={2015},
title={Taking the din out of dining},
publisher={The New York Times},
volume={CLXIV},
pages={D6-D8},
}
```

And examples of using `\url{}` and `\doi{}`:

```
@misc{website,
key={Mars},
note={Information on the Mars Microphone available at\\
\url{http://sprg.ssl.berkeley.edu/marsmic/welcome.html}
(Last viewed April 15, 2008)}
```

```
@article{sampEprint3,
author={A. G. Ramm},
year={2006},
title={Invisible obstacles},
doi={10.1121/1.4947423.1}}
```

These examples are shown in bibsamp1 and bibsamp2.

Using BibTeX Recommended

You are highly recommended to use BibTeX to produce your bibliography: it will be both easier and less error prone.

There are two possible bibliography styles: the default, author-year, and the optional style, NumberedRefs, which you would call using

```
\documentclass[NumberedRefs]{JASA}
```

Every `\citep{}` or `\citett{}` will produce a citation and an entry in the bibliography. Each cite must have a matching entry in the .bib database file.

BibTeX steps

Follow these steps

1. Make your .bib file, your bibliography database. See `sampbib.bib` for an example to follow.
2. Type in `\bibliography{<name of your .bib file>}`.
3. Enter `\citep{}` or `\citett{}` commands in your .tex file. The citation label must come from your .bib database file. Run LaTeX on your LaTeX file.
4. Run BibTeX using the name of your LaTeX file: `bibtex bipsampl` for example.
5. Then run LaTeX on your .tex file several more times to produce the citations as well as the bibliography.

Some final advice

- All heads except for `\section{}` should capitalize only the first word, and proper names.
- If you do not wish to pay mandatory page charges, the article's page length should not exceed 12 pages. (see JASA Instructions for Contributors: <http://asa.scitation.org/pb-assets/files/publications/jas/jasinfcon.pdf>)
You can estimate the page length by using
`\documentclass[reprint,12pt]{JASA}`
- Figures should be named using this scheme:
Figure1.eps, Figure2.jpg, Figure3a.ps, Figure3b.ps, etc.

Word count:

It may be helpful to use a word counter for the abstract and for the main body of the manuscript. This can be done by either

- 1) For Mac users, TeXShop (at least version 3.26) has a line, word and character count under **Edit>Statistics**. No guarantee that it will be 100% accurate.
- 2) If you use the online tool ShareLatex, you will find it has a built in word counter:
<https://www.sharelatex.com/blog/2015/09/15/word-count.html>.

Use TIPA for phonetics characters?

One could add `\usepackage{TIPA}` for help in getting phonetics characters. An article explaining TIPA is found here:
<https://www.tug.org/TUGboat/tb17-2/tb51rei.pdf>

TIPA is a LaTeX package that provides a set of ASCII shortcuts for getting non-ASCII IPA characters into LaTeX documents. It exists because the programs 'latex' and 'pdflatex' cannot operate on documents that have non-ASCII characters in them. The problem was solved long ago by the introduction of the programs 'xetex' and 'xelatex', which can handle the full range of Unicode character codepoints in source documents.

We suggest using TIPA only if it is impossible to use xetex or xelatex. This depends on the state of the JASA publishing operation. More information on this topic can be had by writing to managingeditor@acousticalsociety.org for advice on article submission.

More info here: <https://tex.stackexchange.com/questions/36542/how-to-use-phonetic-ipa-characters-in-latex>

The article concludes:

"The TIPA method allows for a faster input method at the expense of less readable source."

For more information, please see the following from the Editorial Manager LaTeX guide

https://www.ariessys.com/wp-content/uploads/EM_PM_LaTeX_Guide.pdf.

Welcome Getting Started Figures Tables Algorithms Track Changes Ending Article Bibliography BibTeX Advice FAQ

Final Advice Google Scholar Multimedia/Supplementary Material

Using Google Scholar

A very useful link to a You Tube presentation on how to make Google Scholar BibTeX entries:

https://www.youtube.com/watch?v=SsJSR2b4_qc.

Step by Step instructions for Making a Bib file using Google Scholar

First you must log into your gmail account. (If you don't have one, you can sign up easily, for free). Then go to <https://scholar.google.com>. Once there, click on the 'settings' icon at the top of the page. Go to the bottom of the page, and at the 'Bibliography manager' heading click on 'show links to import citations into BibTeX'.

Then, choose a title, for a journal article or book. At the bottom of the resulting entry, you'll see 'Import into Bibtex'. Click this, and a bibtex entry will appear on a new page.

You can copy this entry and drop it into a .bib file on your computer, for example, google.bib. Repeat this procedure for as many entries as you'd like.

After citing the entries you want to appear in your bibliography, you can type in `\bibliography{google}`, run LaTeX on your file, run BibTeX using the same file name, and run LaTeX several more times, and viola! there will be your bibliography.

A word of caution: If this seems too good to be true, there is a reason. Sometimes there are mistakes in the translation from the .bib file to the .bbl file, the output of using BibTeX.

For instance, in my experimentation, many words were made lowercase that should not have been; and there terms that could well have been abbreviated that weren't. However, you can edit the .bbl file, and probably will still have saved yourself some trouble over typing in the .bib entry from scratch.

Welcome Getting Started Figures Tables Algorithms Track Changes Ending Article Bibliography BibTeX Advice FAQ

Final Advice Google Scholar **Multimedia/Supplementary Material**

Example of multimedia entry

Please note that this is for multimedia intended to appear inline within the published article.

Here is what a multimedia entry will look like:

```
\multimedia{http://dx.doi.org/10.1121/1.4947423.1}
{Corresponding pulse-compressed echo envelopes
and video recordings from a fluttering luna moth.
Echoes from the wings and body of the moth generally dominate the
acoustic returns, which vary greatly over consecutive ensonifications
across the wingbeat cycle. File of type ``mp4'' (15.3
MB)}\label{mmtest1}
```

Here we try cross referencing the multimedia entry: The multimedia
above is Mm.~\ref{mmtest1}.

Supplementary material for publication

Any archival supplemental materials to be published with the manuscript (eg., supplementary figures) should be cited in-text and a footnote provided.

An example of reference to supplementary material:

The sound files and videos for this and other figures
are included as supplementary materials\footnote{See
Supplementary materials at [URL will be inserted by AIP]
for [give a brief description of the material].}.

The contents of the footnote above will appear at the beginning of the bibliography when the 'author-year' documentclass option is used; interleaved with other references otherwise.

File naming conventions

- Supplementary Figure or Text files should be named: SuppPub#.xxx, where # is a number and xxx is the file format extension (SuppPub1.docx, SuppPub2.jpg, etc)
- Supplementary Multimedia files: SuppPubmm#.xxx, where # is a number and xxx is the file format extension (SuppPubmm1.mp3, SuppPubmm2.gif, etc)
- Multimedia files must be named accordingly: MM#.xxx, where # is the number and xxx is the file format extension (MM1.wav, MM2.avi, etc).

Frequently Asked Questions (FAQ)

Using the Template on Your Computer

- The template requires a recent, full version of LaTeX so if you have issues running the template via a LaTeX Compiler on your computer, you may need to update your version or add packages.
- CTAN (www.ctan.org), which stands for Comprehensive TeX Archive Network, is a helpful resource for finding packages or updates.

Submitting Your Paper to Editorial Manager (EM) Submission System

Requirements for Manuscript and Reference Files:

- Manuscript file: Only 1 .TeX file allowed*
 - Please use the preprint document class
 - *References can be included within the manuscript file if preferred*
- Reference file: Only 1 .bib file allowed
 - Avoid using underscores (_) in the .bib file as these can cause build issues
 - Attach as “Manuscript (TeX or Word only)” item type in EM

Should I upload the template .cls and .bst files with my submission?

- No. The JASA.cls, JASA-EL.cls, jasaauthoryear2.bst, and jasanum2.bst files are already integrated/installed in EM.

Why is my paper not compiling properly in the EM submission PDF?


- EM will produce a PDF log if there is a compilation failure. This output will indicate what error(s) are preventing the build and where they are located in the .TeX file.
- Tip: search the word “error” in the EM submission PDF log to quickly find what error(s) are preventing the compilation/build.

What are common build/compilation errors?

- Figure files have been renamed but the corresponding references to the figure file names have not been updated in the manuscript.Tex file itself.
- Subfolder/subdirectories cannot be used in references to figure files in the manuscript.Tex file as EM cannot process subfolders.

Why are my references missing?

- Please be sure that you attached your .bib file as the submission item type “Manuscript (TeX or Word only)”. Editorial Manager can only process the file if it is attached as this item type.



Order	Item	Description	File Name	Size	Last Modified	Actions	Select
1	*Manuscript (TeX or Word only)	Manuscript (TeX or Word only)	JASAtemplate.tex	13.2 KB	Aug 22, 2019	Download	<input type="checkbox"/>
2	*Manuscript (TeX or Word only)	Manuscript (TeX or Word only)	sampbib.bib	13.6 KB	Aug 22, 2019	Download	<input type="checkbox"/>

- Manuscript file (.tex) should not have any spaces in the file name

Why is my XeLaTeX submission not compiling?

- EM should automatically determine the right package to use, but if there are issues, you can include as the first two lines of your .tex file:


```
% !TEX TS-program = xelatex
% !TEX encoding = UTF-8
```

How do I add “In Press” for in-text citations for bibliographic (author year) style references?

- For example: (Tolstoy, 2010, in press).
To do this in your manuscript file: `\citep[inpress]{tolstoyref}`

How do I find out what style files are included in EM LaTeX installation?

- Please visit the EM help file:
 https://www.ariessys.com/wp-content/uploads/EM_PM_LaTeX_Guide.pdf

**Note: this is a general help file and does not account for journal-specific requirements*

MISC

- Scientific Word: Authors using Scientific Word should export their manuscript file as a Portable LaTeX file